Author Index Vol. 696

Abdelrahim, M., Morris, E., Carver, J., Facchina, S., White, A. and Verma, A.
Liquid chromatographic assay of dityrosine in human cerebrospinal fluid 696(1997)175

Albinánd, N., see Johnson, M.R. 696(1997)183

Ali, S.F., see Wise, C.K. 696(1997)145

Allen, M.C., Stafford, C.G. and Nocerini, M.R.
Quantitation of 4-cyclohexyl-2-hydroxy-3-(3-methylsulfanyl-2-{2-[(morpholine-4-carbonyl)amino]-3-phenylpropionylamino}propionylamino)butyric acid isopropyl ester (CP-80,794), a renin inhibitor, and its hydrolytic cleavage metabolite 2-[(morpholine-4-carbonyl)amino]-3-phenylpropionic acid (CP-84,364) in dog and human plasma by high-performance liquid chromatography 696(1997)243

Amanlou, M. and Dehpour, A.R.
Rapid method for the determination of piroxicam in rat plasma using high-performance liquid chromatography 696(1997)317

Andriamampandry, M., see Leray, C. 696(1997)33

Arendt, T., see Singh, A.K. 696(1997)174

Azumaya, C.T., see Bui, K.H. 696(1997)131

Åkerman, K.K.
Analysis of clozapine and norclozapine by high-performance liquid chromatography 696(1997)253

Bao, J., Smith, R.L., Sauer, J.-M., Pillai, U. and Sipes, I.G.
Simultaneous determination of cyclohexene oxide and its metabolites in rat plasma and urine by gas chromatography 696(1997)59

Beijnen, J.H., see Rosing, H. 696(1997)89

Beijnen, J.H., see Sparidans, R.W. 696(1997)137

Bialkowski, K., see Leznicki, A.J. 696(1997)193

Birmingham, B.K., see Bui, K.H. 696(1997)131

Bonato, P.S., see Jabor, V.A.P. 696(1997)307

Boudra, H., see Enanga, B. 696(1997)261

Bousquet, B., see Letellier, S. 696(1997)9

Bouteille, B., see Enanga, B. 696(1997)261

Bui, K.H., Kennedy, C.M., Azumaya, C.T. and Birmingham, B.K.
Determination of zafirlukast, a selective leukotriene antagonist, human plasma by normal-phase high-performance liquid chromatography with fluorescence detection 696(1997)131

Carver, J., see Abdelrahim, M. 696(1997)175

Cavadenti, J., see Leray, C. 696(1997)33

Cazenave, J.-P., see Leray, C. 696(1997)33

Céolin, R., see Moussa, F. 696(1997)153

Chae, J.S., see Myung, S.-W. 696(1997)160

Chauvière, G., see Enanga, B. 696(1997)261

Chen, Y.-K., see Liu, C.-M. 696(1997)298

Cherkaoui, S., Mateus, L., Christen, P. and Veuthey, J.-L.
Development and validation of a capillary zone electrophoresis method for the determination of atropine, homatropine and scopolamine in ophthalmic solutions 696(1997)283

Chiu, F.C.K., Damani, L.A., Li, R.C. and Tomlinson, B.
Efficient high-performance liquid chromatographic assay for the simultaneous determination of metoprolol and two main metabolites in human urine by solid-phase extraction and fluorescence detection 696(1997)69

Choi, H.-C., see Han, K.S. 696(1997)312

Christen, P., see Cherkaoui, S. 696(1997)283

Colemonts, Y., see Delahaut, Ph. 696(1997)203

Cooney, C.A., see Wise, C.K. 696(1997)145

Cooper, J.D.H., Shearsby, N. and Fook Sheung, C.T.C.
Use of the ASTED system to determine L-N^G-monomethylarginine (546C88) in human plasma by pre-column *o*-phthalaldehyde derivatisation and high-performance liquid chromatography 696(1997)117

Damani, L.A., see Chiu, F.C.K. 696(1997)69

Degen, P.H., see Flesch, G. 696(1997)123

De Graeve, J., see Delahaut, Ph. 696(1997)203

Dehpour, A.R., see Amanlou, M. 696(1997)317

Delahaut, Ph., Jacquemin, P., Colemonts, Y., Dubois, M., De Graeve, J. and Deluyker, H.
Quantitative determination of several synthetic corticosteroids by gas chromatography–mass spectrometry after purification by immunoaffinity chromatography 696(1997)203

Deluyker, H., see Delahaut, Ph. 696(1997)203

Den Hartigh, J., see Sparidans, R.W. 696(1997)137

Diasio, R.B., see Johnson, M.R. 696(1997)183

Dobbie, M.S. and Surtees, R.A.H.
Concentrations of quinolinic acid in cerebrospinal fluid measured by gas chromatography and electron-impact ionisation mass spectrometry. Age-related changes in a paediatric reference population 696(1997)53

Dorr, R.T., see Dvorakova, K. 696(1997)275

Dubois, M., see Delahaut, Ph. 696(1997)203

Dumas, M., see Enanga, B. 696(1997)261

Dvorakova, K., Dorr, R.T., Gallegos, A., McClure, T. and Powis, G.
Pharmacokinetic studies of the herbicide and antitumor compound oryzalin in mice 696(1997)275

Elfort, H.L., see Vielnascher, E. 696(1997)267

Enanga, B., Labat, C., Boudra, H., Chauvière, G., Keita, M., Bouteille, B., Dumas, M. and Houin, G.
Simple high-performance liquid chromatographic method to analyse megazol in human and rat plasma 696(1997)261

Eriguchi, Y., see Shibusawa, Y. 696(1997)25

Facchina, S., see Abdelrahim, M. 696(1997)175

Feng, Y., Halaris, A.E. and Piletz, J.E.
Erratum to "Determination of agmatine in brain and plasma using high-performance liquid chromatography with fluorescence detection" [J. Chromatogr. B, 691 (1997) 277] 696(1997)173
Fernández-Romero, J.M., see Ortiz-Boyer, F. 696(1997)43
Flesch, G., Mann, Ch. and Degen, P.H.
Quantitative determination of CGP 61755, a protease inhibitor, in plasma and urine by high-performance liquid chromatography and fluorescence detection 696(1997)123
Fook Sheung, C.T.C., see Cooper, J.D.H. 696(1997)117
Gachet, C., see Leray, C. 696(1997)33
Gallegos, A., see Dvorakova, K. 696(1997)275
Garnier, J.P., see Letellier, S. 696(1997)9
Genin, E., see Moussa, F. 696(1997)153
Grgurinovich, N.
Method for the analysis of perhexiline and its hydroxy metabolite in plasma using high-performance liquid chromatography with precolumn derivatization 696(1997)75
Gross, A.S., see Hoskins, J.M. 696(1997)81
Gutbier, G., see Leray, C. 696(1997)33
Halaris, A.E., see Feng, Y. 696(1997)173
Han, K.S., Choi, H.-C., Yoo, J.-K., Lee, J.W. and Lee, M.G.
Determination of a new proton pump inhibitor, YH1885, in human plasma and urine by high-performance liquid chromatography 696(1997)312
Hansen, S.H., see Kepp, D.R. 696(1997)235
Hayakawa, K., Masuko, M., Mineta, M., Yoshikawa, K., Yamauchi, K., Hirano, M., Katsumata, N. and Tanaka, T.
Serum protein determination by high-performance gel-permeation chromatography 696(1997)19
Hill, S.E., see Volk, K.J. 696(1997)99
Hirano, M., see Hayakawa, K. 696(1997)19
Hoskins, J.M., Shenfield, G.M. and Gross, A.S.
Modified high-performance liquid chromatographic method to measure both dextromethorphan and proguanil for oxidative phenotyping 696(1997)81
Houin, G., see Enanga, B. 696(1997)261
Hsieh, S.-Y., see Liu, C.-M. 696(1997)298
Hu, H.B., see Li, J.S. 696(1997)166
Huh, S., see Myung, S.-W. 696(1997)160
Hung, M.-H., see Liu, C.-M. 696(1997)298
Ito, Y., see Shibusawa, Y. 696(1997)25
Jabor, V.A.P., Rocha, G.M. and Bonato, P.S.
Enantioselective analysis of praziquantel in plasma samples 696(1997)307
Jacquemin, P., see Delahaut, Ph. 696(1997)203
Jäger, W., see Vielnascher, E. 696(1997)267
Jiang, Y., see Singh, A.K. 696(1997)174
Johnson, M.R., Yan, J., Shao, L., Albinánd, N. and Diasio, R.B.
Semi-automated radioassay for determination of dihydropyrimidine dehydrogenase (DPD) activity. Screening cancer patients for DPD deficiency, a condition associated with 5-fluorouracil toxicity 696(1997)183
Katsumata, N., see Hayakawa, K. 696(1997)19
Keita, M., see Enanga, B. 696(1997)261
Kennedy, C.M., see Bui, K.H. 696(1997)131
Kepp, D.R., Sidelmann, U.G., Tjørnelund, J. and Hansen, S.H.
Simultaneous quantitative determination of the major phase I and II metabolites of ibuprofen in biological fluids by high-performance liquid chromatography on dynamically modified silica 696(1997)235
Kerns, E.H., see Volk, K.J. 696(1997)99
Kim, M., see Myung, S.-W. 696(1997)160
Klein-Soyer, C., see Leray, C. 696(1997)33
Koopman, F.P., see Rosing, H. 696(1997)89
Labat, C., see Enanga, B. 696(1997)261
Lawrence, J.F. and Ménard, C.
Determination of clenbuterol in beef liver and muscle tissue using immunoaffinity chromatographic cleanup and liquid chromatography with ultraviolet absorbance detection 696(1997)291
Lee, J.W., see Han, K.S. 696(1997)312
Lee, J.W., see Myung, S.-W. 696(1997)160
Lee, M.G., see Han, K.S. 696(1997)312
Lee, M.S., see Volk, K.J. 696(1997)99
Leray, C., Andriamampandry, M., Gutbier, G., Cavadenti, J., Klein-Soyer, C., Gachet, C. and Cazenave, J.-P.
Quantitative analysis of vitamin E, cholesterol and phospholipid fatty acids in a single aliquot of human platelets and cultured endothelial cells 696(1997)33
Letellier, S., Garnier, J.P., Spy, J. and Bousquet, B.
Determination of the L-DOPA/L-tyrosine ratio in human plasma by high-performance liquid chromatography. Usefulness as a marker in metastatic malignant melanoma 696(1997)9
Leznicki, A.J. and Bialkowski, K.
Improved high-performance liquid chromatographic method for N-acetylgalactosamine-4-sulfate sulfatase (arylsulfatase B) activity determination using uridine diphospho-N-acetylgalactosamine-4-sulfate 696(1997)193
Li, J.S., Li, X.W. and Hu, H.B.
Immunoaffinity column cleanup procedure for analysis of ivermectin in swine liver 696(1997)166
Li, R.C., see Chiu, F.C.K. 696(1997)69
Li, X.W., see Li, J.S. 696(1997)166
Lin, E.T., see Liu, C.-M. 696(1997)298
Lindberg, J.E., see Reverter, M. 696(1997)1
Liu, C.-M., Chen, Y.-K., Yang, T.-H., Hsieh, S.-Y., Hung, M.-H. and Lin, E.T.
High-performance liquid chromatographic determination of clindamycin in human plasma or serum: application to the bioequivalency study of clindamycin phosphate injections 696(1997)298
Lundh, T., see Reverter, M. 696(1997)1
Luque de Castro, M.D., see Ortiz-Boyer, F. 696(1997)43
Lustig, V., see Rosing, H. 696(1997)89
Mahaguna, V., see Williams, III, R.O. 696(1997)303
Mann, Ch., see Flesch, G. 696(1997)123
Martens, J., see Ulrich, S. 696(1997)217
Masuko, M., see Hayakawa, K. 696(1997)19
Mateus, L., see Cherkaoui, S. 696(1997)283
McClure, T., see Dvorakova, K. 696(1997)275
Ménard, C., see Lawrence, J.F. 696(1997)291
Mineta, M., see Hayakawa, K. 696(1997)19
Morris, E., see Abdelrahim, M. 696(1997)175

Moussa, F., Pressac, M., Genin, E., Roux, S., Trivin, F., Rassat, A., Céolin, R. and Szwarc, H.
Quantitative analysis of C_{60} fullerene in blood and tissues by high-performance liquid chromatography with photodiode-array and mass spectrometric detection 696(1997)153
Myung, S.-W., Huh, S., Kim, M., Park, J., Yoo, J.K., Chae, J.S. and Lee, J.W.
Identification of YH439 and its metabolites in rat urine by gas chromatography–mass spectrometry and liquid chromatography–mass spectrometry 696(1997)160
Nocerini, M.R., see Allen, M.C. 696(1997)243
Novotný, L., see Vielnascher, E. 696(1997)267
Ortiz-Boyer, F., Fernández-Romero, J.M., Luque de Castro, M.D. and Quesada, J.M.
Continuous cleanup/preconcentration procedure of hydroxyvitamin D_3 metabolites in plasma as an alternative to batch solid-phase extraction 696(1997)43
Park, J., see Myung, S.-W. 696(1997)160
Piletz, J.E., see Feng, Y. 696(1997)173
Pillai, U., see Bao, J. 696(1997)59
Poirier, L.A., see Wise, C.K. 696(1997)145
Powis, G., see Dvorakova, K. 696(1997)275
Pressac, M., see Moussa, F. 696(1997)153
Quesada, J.M., see Ortiz-Boyer, F. 696(1997)43
Rassat, A., see Moussa, F. 696(1997)153
Reverter, M., Lundh, T. and Lindberg, J.E.
Determination of free amino acids in pig plasma by precolumn derivatization with 6-*N*-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate and high-performance liquid chromatography 696(1997)1
Rocha, G.M., see Jabor, V.A.P. 696(1997)307
Romanová, D., see Vielnascher, E. 696(1997)267
Rosing, H., Lustig, V., Koopman, F.P., ten Bokkel Huinink, W.W. and Beijnen, J.H.
Bio-analysis of docetaxel and hydroxylated metabolites in human plasma by high-performance liquid chromatography and automated solid-phase extraction 696(1997)89
Roux, S., see Moussa, F. 696(1997)153
Sauer, J.-M., see Bao, J. 696(1997)59
Shao, L., see Johnson, M.R. 696(1997)183
Shearsby, N., see Cooper, J.D.H. 696(1997)117
Shenfield, G.M., see Hoskins, J.M. 696(1997)81
Shibusawa, Y., Eriguchi, Y. and Ito, Y.
Purification of lactic acid dehydrogenase from bovine heart crude extract by counter-current chromatography 696(1997)25
Sidelmann, U.G., see Kepp, D.R. 696(1997)235
Singh, A.K., White, T., Arendt, T. and Jiang, Y.
Erratum to "Analysis of selenium in bovine liver by gas chromatography with mass-selective, electron-capture and nitrogen-phosphorus detection". [J. Chromatogr. B, 690 (1997) 327–331] 696(1997)174
Sipes, I.G., see Bao, J. 696(1997)59
Smith, R.L., see Bao, J. 696(1997)59
Sparidans, R.W., den Hartigh, J., Beijnen, J.H. and Vermeij, P.
Determination of pamidronate in urine by ion-pair liquid chromatography after derivatization with 1-naphthylisothiocyanate 696(1997)137
Spy, J., see Letellier, S. 696(1997)9
Sriwongjanya, M., see Williams, III, R.O. 696(1997)303
Stafford, C.G., see Allen, M.C. 696(1997)243
Surtees, R.A.H., see Dobbie, M.S. 696(1997)53
Szekeres, T., see Vielnascher, E. 696(1997)267
Szwarc, H., see Moussa, F. 696(1997)153
Tanaka, T., see Hayakawa, K. 696(1997)19
Ten Bokkel Huinink, W.W., see Rosing, H. 696(1997)89
Thalhammer, T., see Vielnascher, E. 696(1997)267
Tjørnelund, J., see Kepp, D.R. 696(1997)235
Tomlinson, B., see Chiu, F.C.K. 696(1997)69
Trivin, F., see Moussa, F. 696(1997)153
Ulrich, S. and Martens, J.
Solid-phase microextraction with capillary gas–liquid chromatography and nitrogen–phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217
Verma, A., see Abdelrahim, M. 696(1997)175
Vermeij, P., see Sparidans, R.W. 696(1997)137
Veuthey, J.-L., see Cherkaoui, S. 696(1997)283
Vielnascher, E., Romanová, D., Novotný, L., Szekeres, T., Elfort, H.L., Thalhammer, T. and Jäger, W.
Simultaneous determination of the new anticancer agent amidox and its metabolites in rat bile and plasma by high-performance liquid chromatography 696(1997)267
Volk, K.J., Hill, S.E., Kerns, E.H. and Lee, M.S.
Profiling degradants of paclitaxel using liquid chromatography–mass spectrometry and liquid chromatography–tandem mass spectrometry substructural techniques 696(1997)99
White, A., see Abdelrahim, M. 696(1997)175
White, T., see Singh, A.K. 696(1997)174
Williams, III, R.O., Mahaguna, V. and Sriwongjanya, M.
Determination of diazolidinyl urea in a topical cream by high-performance liquid chromatography 696(1997)303
Wise, C.K., Cooney, C.A., Ali, S.F. and Poirier, L.A.
Measuring S-adenosylmethionine in whole blood, red blood cells and cultured cells using a fast preparation method and high-performance liquid chromatography 696(1997)145
Yamauchi, K., see Hayakawa, K. 696(1997)19
Yan, J., see Johnson, M.R. 696(1997)183
Yang, T.-H., see Liu, C.-M. 696(1997)298
Yoo, J.-K., see Han, K.S. 696(1997)312
Yoo, J.K., see Myung, S.-W. 696(1997)160
Yoshikawa, K., see Hayakawa, K. 696(1997)19

Compound Index Vol. 696

N-Acetylgalactosamine-4-sulfate sulfatase
Improved high-performance liquid chromatographic method for N-acetylgalactosamine-4-sulfate sulfatase (arylsulfatase B) activity determination using uridine diphospho-N-acetylgalactosamine-4-sulfate 696(1997)193

***N*-Acetyl-*S*-(2-hydroxycyclohexyl)-L-cysteine**
Simultaneous determination of cyclohexene oxide and its metabolites in rat plasma and urine by gas chromatography 696(1997)59

S-Adenosylmethionine
Measuring S-adenosylmethionine in whole blood, red blood cells and cultured cells using a fast preparation method and high-performance liquid chromatography 696(1997)145

Amidox
Simultaneous determination of the new anticancer agent amidox and its metabolites in rat bile and plasma by high-performance liquid chromatography 696(1997)267

Amino acids
Determination of free amino acids in pig plasma by precolumn derivatization with 6-*N*-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate and high-performance liquid chromatography 696(1997)1

6-*N*-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate
Determination of free amino acids in pig plasma by precolumn derivatization with 6-*N*-aminoquinolyl-*N*-hydroxysuccinimidyl carbamate and high-performance liquid chromatography 696(1997)1

Amitriptyline
Solid-phase microextraction with capillary gas–liquid chromatography and nitrogen–phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Arylsulfatase B
Improved high-performance liquid chromatographic method for N-acetylgalactosamine-4-sulfate sulfatase (arylsulfatase B) activity determination using uridine diphospho-N-acetylgalactosamine-4-sulfate 696(1997)193

Atropine
Development and validation of a capillary zone electrophoresis method for the determination of atropine, homatropine and scopolamine in ophthalmic solutions 696(1997)283

Bisphosphonates
Determination of pamidronate in urine by ion-pair liquid chromatography after derivatization with 1-naphthylisothiocyanate 696(1997)137

CGP 61755
Quantitative determination of CGP 61755, a protease inhibitor, in plasma and urine by high-performance liquid chromatography and fluorescence detection 696(1997)123

Cholesterol
Quantitative analysis of vitamin E, cholesterol and phospholipid fatty acids in a single aliquot of human platelets and cultured endothelial cells 696(1997)33

Clenbuterol
Determination of clenbuterol in beef liver and muscle tissue using immunoaffinity chromatographic cleanup and liquid chromatography with ultraviolet absorbance detection 696(1997)291

Clindamycin
High-performance liquid chromatographic determination of clindamycin in human plasma or serum: application to the bioequivalency study of clindamycin phosphate injections 696(1997)298

Clomipramine
Solid-phase microextraction with capillary gas–liquid chromatography and nitrogen–phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Clozapine
Analysis of clozapine and norclozapine by high-performance liquid chromatography 696(1997)253

Corticosteroids
Quantitative determination of several synthetic corticosteroids by gas chromatography–mass spectrometry after purification by immunoaffinity chromatography 696(1997)203

C_{60} Fullerene
Quantitative analysis of C_{60} fullerene in blood and tissues by high-performance liquid chromatography with photodiode-array and mass spectrometric detection 696(1997)153

Cyclohexane-1,2-diol-*O*-glucuronide
Simultaneous determination of cyclohexene oxide and its metabolites in rat plasma and urine by gas chromatography 696(1997)59

Cyclohexanol
Simultaneous determination of cyclohexene oxide and its metabolites in rat plasma and urine by gas chromatography 696(1997)59

Cyclohexene oxide
Simultaneous determination of cyclohexene oxide and its metabolites in rat plasma and urine by gas chromatography 696(1997)59

4-Cyclohexyl-2-hydroxy-3-(3-methylsulfanyl-2-{2-[(morpholine-4-carbonyl)amino]-3-phenylpropionylamino} propionylamino)butyric acid isopropyl ester
Quantitation of 4-cyclohexyl-2-hydroxy-3-(3-methylsulfanyl-2-{2-[(morpholine-4-carbonyl)amino]-3-phenylpropionylamino}propionylamino)butyric acid isopropyl ester (CP-80,794), a renin inhibitor, and its hydrolytic cleavage metabolite 2-[(morpholine-4-carbonyl)amino]-3-phenylpropionic acid (CP-84,364) in dog and human plasma by high-performance liquid chromatography 696(1997)243

Desipramine
Solid-phase microextraction with capillary gas–liquid chromatography and nitrogen–phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Desmethylclomipramine
Solid-phase microextraction with capillary gas–liquid chromatography and nitrogen–phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Dexamethasone
Quantitative determination of several synthetic corticosteroids by gas chromatography–mass spectrometry after purification by immunoaffinity chromatography 696(1997)203

Dextromethorphan
Modified high-performance liquid chromatographic method to measure both dextromethorphan and proguanil for oxidative phenotyping 696(1997)81

Diazolidinyl urea
Determination of diazolidinyl urea in a topical cream by high-performance liquid chromatography 696(1997)303

Dihydropyrimidine dehydrogenase
Semi-automated radioassay for determination of dihydropyrimidine dehydrogenase (DPD) activity. Screening cancer patients for DPD deficiency, a condition associated with 5-fluorouracil toxicity 696(1997)183

3,4-Dihydroxyphenylalanine
Determination of the L-DOPA/L-tyrosine ratio in human plasma by high-performance liquid chromatography. Usefulness as a marker in metastatic malignant melanoma 696(1997)9

[5,6-Dimethyl-2-(4-fluorophenylamino)-4-(1-methyl-1,2,3,4-tetrahydroisoquinolin-2-yl pyrimidine]
Determination of a new proton pump inhibitor, YH1885, in human plasma and urine by high-performance liquid chromatography 696(1997)312

Dityrosine
Liquid chromatographic assay of dityrosine in human cerebrospinal fluid 696(1997)175

Docetaxel
Bio-analysis of docetaxel and hydroxylated metabolites in human plasma by high-performance liquid chromatography and automated solid-phase extraction 696(1997)89

Doxepine
Solid-phase microextraction with capillary gas–liquid chromatography and nitrogen–phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Enzymes
Purification of lactic acid dehydrogenase from bovine heart crude extract by counter-current chromatography 696(1997)25

Semi-automated radioassay for determination of dihydropyrimidine dehydrogenase (DPD) activity. Screening cancer patients for DPD deficiency, a condition associated with 5-fluorouracil toxicity 696(1997)183

Improved high-performance liquid chromatographic method for N-acetylgalactosamine-4-sulfate sulfatase (arylsulfatase B) activity determination using uridine diphospho-N-acetylgalactosamine-4-sulfate 696(1997)193

Flumethasone
Quantitative determination of several synthetic corticosteroids by gas chromatography–mass spectrometry after purification by immunoaffinity chromatography 696(1997)203

5-Fluorouracil
Semi-automated radioassay for determination of dihydropyrimidine dehydrogenase (DPD) activity. Screening cancer patients for DPD deficiency, a condition associated with 5-fluorouracil toxicity 696(1997)183

Homatropine
Development and validation of a capillary zone electrophoresis method for the determination of atropine, homatropine and scopolamine in ophthalmic solutions 696(1997)283

α-Hydroxymetoprolol
Efficient high-performance liquid chromatographic assay for the simultaneous determination of metoprolol and two main metabolites in human urine by solid-phase extraction and fluorescence detection 696(1997)69

Hydroxyperhexiline
Method for the analysis of perhexiline and its hydroxy metabolite in plasma using high-performance liquid chromatography with precolumn derivatization 696(1997)75

Hydroxyvitamin D_3
Continuous cleanup/preconcentration procedure of hydroxyvitamin D_3 metabolites in plasma as an alternative to batch solid-phase extraction 696(1997)43

Ibuprofen
Simultaneous quantitative determination of the major phase I and II metabolites of ibuprofen in biological fluids by high-performance liquid chromatography on dynamically modified silica 696(1997)235

Imipramine
Solid-phase microextraction with capillary gas–liquid chromatography and nitrogen–phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Isoflupredone
Quantitative determination of several synthetic corticosteroids by gas chromatography–mass spectrometry after purification by immunoaffinity chromatography 696(1997)203

Ivermectin
Immunoaffinity column cleanup procedure for analysis of ivermectin in swine liver 696(1997)166

Lactic acid dehydrogenase
Purification of lactic acid dehydrogenase from bovine heart crude extract by counter-current chromatography 696(1997)25

Maprotiline
Solid-phase microextraction with capillary gas–liquid chromatography and nitrogen–phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Megazol
Simple high-performance liquid chromatographic method to analyse megazol in human and rat plasma 696(1997)261

Melanoma
Determination of the L-DOPA/L-tyrosine ratio in human plasma by high-performance liquid chromatography. Usefulness as a marker in metastatic malignant melanoma 696(1997)9

Methylprednisolone
Quantitative determination of several synthetic corticosteroids by gas chromatography–mass spectrometry after purification by immunoaffinity chromatography 696(1997)203

Metoprolol
Efficient high-performance liquid chromatographic assay for the simultaneous determination of metoprolol and two main metabolites in human urine by solid-phase extraction and fluorescence detection 696(1997)69

Mianserine
Solid-phase microextraction with capillary gas–liquid chromatography and nitrogen–phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

L-N^G-Monomethylarginine
Use of the ASTED system to determine L-N^G-monomethylarginine (546C88) in human plasma by pre-column *o*-phthalaldehyde derivatisation and high-performance liquid chromatography 696(1997)117

2-[(Morpholine-4-carbonyl)amino]-3-phenylpropionic acid
Quantitation of 4-cyclohexyl-2-hydroxy-3-(3-methylsulfanyl-2-{2-[(morpholine-4-carbonyl)amino]-3-phenylpropionylamino}propionylamino)butyric acid isopropyl ester (CP-80,794), a renin inhibitor, and its hydrolytic cleavage metabolite 2-[(morpholine-4-carbonyl)amino]-3-phenylpropionic acid (CP-84,364) in dog and human plasma by high-performance liquid chromatography 696(1997)243

1-Naphthylisothiocyanate
Determination of pamidronate in urine by ion-pair liquid chromatography after derivatization with 1-naphthylisothiocyanate 696(1997)137

Norclozapine
Analysis of clozapine and norclozapine by high-performance liquid chromatography 696(1997)253

Nortripyline
Solid-phase microextraction with capillary gas–liquid chromatography and nitrogen–phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Oryzalin
Pharmacokinetic studies of the herbicide and antitumor compound oryzalin in mice 696(1997)275

Paclitaxel
Profiling degradants of paclitaxel using liquid chromatography–mass spectrometry and liquid chromatography–tandem mass spectrometry substructural techniques 696(1997)99

Pamidronate
Determination of pamidronate in urine by ion-pair liquid chromatography after derivatization with 1-naphthylisothiocyanate 696(1997)137

Perhexiline
Method for the analysis of perhexiline and its hydroxy metabolite in plasma using high-performance liquid chromatography with precolumn derivatization 696(1997)75

Phospholipids
Quantitative analysis of vitamin E, cholesterol and phospholipid fatty acids in a single aliquot of human platelets and cultured endothelial cells 696(1997)33

Piroxicam
Rapid method for the determination of piroxicam in rat plasma using high-performance liquid chromatography 696(1997)317

Praziquantel
Enantioselective analysis of praziquantel in plasma samples 696(1997)307

Prednisolone
Quantitative determination of several synthetic corticosteroids by gas chromatography–mass spectrometry after purification by immunoaffinity chromatography 696(1997)203

Proguanil
Modified high-performance liquid chromatographic method to measure both dextromethorphan and proguanil for oxidative phenotyping 696(1997)81

Protease
Quantitative determination of CGP 61755, a protease inhibitor, in plasma and urine by high-performance liquid chromatography and fluorescence detection 696(1997)123

Proteins
Serum protein determination by high-performance gel-permeation chromatography 696(1997)19

Quinolinic acid
Concentrations of quinolinic acid in cerebrospinal fluid measured by gas chromatography and electron-impact ionisation mass spectrometry. Age-related changes in a paediatric reference population 696(1997)53

Scopolamine
Development and validation of a capillary zone electrophoresis method for the determination of atropine, homatropine and scopolamine in ophthalmic solutions 696(1997)283

***trans*-Cyclohexane-1,2-diol**
Simultaneous determination of cyclohexene oxide and its metabolites in rat plasma and urine by gas chromatography 696(1997)59

Trimipramine
Solid-phase microextraction with capillary gas–liquid chromatography and nitrogen–phosphorus selective detection for the assay of antidepressant drugs in human plasma 696(1997)217

Tropane alkaloids
Development and validation of a capillary zone electrophoresis method for the determination of atropine, homatropine and scopolamine in ophthalmic solutions 696(1997)283

Tyrosine
Determination of the L-DOPA/L-tyrosine ratio in human plasma by high-performance liquid chromatography. Usefulness as a marker in metastatic malignant melanoma 696(1997)9

Uridine diphospho-N-acetylgalactosamine-4-sulfate
Improved high-performance liquid chromatographic method for N-acetylgalactosamine-4-sulfate sulfatase (arylsulfatase B) activity determination using uridine diphospho-N-acetylgalactosamine-4-sulfate 696(1997)193

Vitamins
Quantitative analysis of vitamin E, cholesterol and phospholipid fatty acids in a single aliquot of human platelets and cultured endothelial cells 696(1997)33

Continuous cleanup/preconcentration procedure of hydroxyvitamin D_3 metabolites in plasma as an alternative to batch solid-phase extraction 696(1997)43

YH1885
Determination of a new proton pump inhibitor, YH1885, in human plasma and urine by high-performance liquid chromatography 696(1997)312

YH439
Identification of YH439 and its metabolites in rat urine by gas chromatography–mass spectrometry and liquid chromatography–mass spectrometry 696(1997)160

Zafirlukast
Determination of zafirlukast, a selective leukotriene antagonist, human plasma by normal-phase high-performance liquid chromatography with fluorescence detection 696(1997)131